

CYBL (2011)

for FS9, FSX and P3D

(CYBL version 2.xx)

USER MANUAL

An Add-On Covering the Campbell River, British Columbia, Canada Airport and Surrounding Area as it Appeared in Late 2011.

Author: Don Grovestine

August 18, 2017

TABLE OF CONTENTS

Section	Title	Page
1	INTRODUCTION	1
2	INSTALLATION AND UPDATES	2
3	SCENERY LIBRARY	5
4	RECONFIGURATION AND CUSTOMIZATION	5
5	OTHER THINGS YOU SHOULD KNOW	6
6	STATIC AIRCRAFT AND CUSTOM AI	7
7	SUPPORT	9
8	ACKNOWLEDGEMENTS	9
	End User License Agreement (EULA)	10

1. INTRODUCTION

CYBL for Microsoft® Flight Simulator (“MSFS”) FS9 and FSX and Lockheed Martin's Prepar3D portrays the Campbell River (British Columbia, Canada) Airport (CYBL) and surrounding area including the BC Forest Service tanker base as it appeared in mid-2011. (Campbell River, a small city mid-way up the eastern shore of Vancouver Island, is the "salmon capital" of North America and the gateway to Desolation Sound, summer cruising grounds for thousands of yachts from across the Pacific Northwest. Hence, CYBL is host to a lot of visiting GA.) CYBL (2011) is compatible with all current versions of Flight Simulator and Prepar 3D.

Please note that Prepar3D v2 does not support certain legacy technologies and does not offer replacement technology. So features that use this legacy technology, in particular, custom approach and airfield lighting, are not available when CYBL (2011) is used with P3D v2.

Features - CYBL features:

- accurate placement of all buildings, runways and taxiways, and realistic taxiway and apron markings based on high-resolution aerial photos and actual airport drawings:
- accurate taxiway and apron signage,
- custom airfield lighting that places every runway, taxiway and approach light in its actual location, including approach lights mounted on towers,
- drive-through parking for AI,
- buildings and most other objects designed "from scratch" using GMax and "painted" with very efficient hand-drawn textures to represent their real-world counterparts as closely as reasonably possible (Many building details down to a size of less than 10 cm. (4") are modeled. Every significant structure on the airfield is included.)
- realistic apron illumination and illumination of other flood-lit areas for night-fliers,
- low-FPS-impact, multi-LOD, ground-hugging perimeter fencing (8' high chain link with bent top, and
- a selection of static and AI aircraft painted in local liveries.

Compatibility - CYBL is fully compatible (once the necessary compatibility files are configured) with:

- Joel Gill's BC Roads (FS9 only)
- ORBX FTX NA Blue USA Canada Pacific Northwest ("ORBX FTX NA"), and
- Ultimate Terrain Canada/Alaska for FS9 and Ultimate Terrain X - Canada for FSX (generally referred to as "Ultimate Terrain" or, simply, "UT"), and

- FS Genesis Vancouver Island mesh (default flatten).

These add-ons (other than the mesh) all generate roads, shorelines and/or landclass that may differ in position and textures from one another and from the mating features in CYBL. Without attention, there would be discontinuities at the boundaries where, for example CYBL's roads meet those generated by whatever add-on is controlling the roads in the surrounding area. (CYBL is outside the area addressed by Jon Patch's and Holger Sandmann's Victoria+ and Vancouver +, so it should not affect, or be affected by, either of those offerings.)

Add-on compatibility may be managed in either of two ways. If compatibility with only a single add-on is required, the compatibility files are combined with the CYBL scenery. However, if you wish to be able to quickly reconfigure CYBL to be compatible with more than one add-on, the compatibility files remain in separate folders and a Scenery Library item is used for each set of files. The latter method is referred to as the "Scenery Library method" of compatibility. (For further detail, see Section 4, Reconfiguration and Customization.

2. INSTALLATION AND UPDATES

Automatic Installation - CYBL includes an installer. This installer is a Microsoft NET.Framework 3.5 application. If NET.Framework 3.5 or a later version is not already installed on your computer, the latest "redistributable" can be downloaded from the Microsoft website at no charge. The installer does not affect the system registry or any other files/folders managed by the operating system. For users who wish to have finer control of the installation or choose not to use the installer, a manual installation procedure is provided below.

Vista and Windows 7 users must have and others may require administrator privileges when running the installer. If you need, but do not have, administrator privileges, the installer will "complain" when you attempt to install. To run the installer with administrator privileges, right-click on *Installer.exe*, select "Run As ..." and select "administrator".

Windows 7 users who do not run the installer in the XP compatibility mode will receive a "this program may not have installed correctly" message upon closing the installer. Despite the error message, the installation completes normally and the message may be safely ignored.

When updating a previous installation of CYBL, any AI traffic files (*traffic*.bgl*) in the existing *CYBL\scenery* folder will be retained. As well, the installer backs-up the previous version before overwriting it. If the installation procedure does not complete normally, the previous installation will be restored.

If you retain an earlier version of CYBL by installing CYBL (2011) to a new folder, ensure only one of them is enabled in the Scenery Library at a time.

Installation is performed as follows. (It will take you far longer to read this than to do it! Buttons and other controls are enabled only when they can be used. Hence, they are progressively enabled as you make prerequisite selections.)

- (a) Unzip the file *CYBL_nnn.zip* to a temporary folder ("folders" option enabled). DO NOT UNZIP TO THE INSTALLATION FOLDER and DO NOT REMOVE ANY FILES FROM THE TEMPORARY FOLDER. (Depending on your operating system, you may be able to omit the "unzip" and run *CYBL Installer.exe* directly from the *.zip* file.
- (b) Run (double-click on) *Installer.exe*. The installation dialog will appear. For P3D versions 3 and 4, the installer must be run in Run as Administrator mode if you want your Scenery Library updated. Otherwise, you will receive an error message – but the installation will be otherwise completed.
- (c) Select the target FlightSim version (FS9, FSX, P3Dv1 or P3Dv2)). The installer will attempt to locate the main folder for that version. If successful, the path is shown in the FS Base Folder text box. If not, you must locate it manually using the FS Base Folder "Select" button before

installation can proceed. If you plan to use CYBL (2011) with more than one FlightSim version, perform a separate installation for each.

- (d) Select the type of installation: *New Installation* or *Update existing version*. If you select the former, the installer “recommends” *Addon Scenery\CYBL (2011)* as the Top Level Folder folder. You may install to any folder - **but recognize that the contents of the nominated folder will be deleted prior to installation**. If you choose to update an earlier version, the installer scans the *Addon Scenery* folder to locate any previously installed versions. (The scan may take a few seconds, depending on the number of installed add-ons on your system.) If the installer finds more than one previous installation, it will identify each in turn asking if that is the version you wish to update.
- (e) Select the add-on(s) with which you want CYBL to be compatible. If you plan to use CYBL with:
- only one compatible add-on, check the applicable radio-button, or
 - several compatible add-ons (at different times), select Compatibility: Multiple and check the relevant add-ons.

If you do nothing, the installed CYBL will be compatible with default FlightSim.

If any compatible add-on is active, CYBL should always be configured for it. Otherwise, roads, lights, terrain and possibly other features may not display properly.

DO NOT CONFIGURE CYBL FOR ADD-ONS THAT ARE NOT INSTALLED ON YOUR SYSTEM OR THAT WILL NOT BE INSTALLED BEFORE USE OF CYBL. OTHERWISE, FLIGHTSIM MAY CTD.

- (f) De-select any optional scenery, static aircraft and AI you do not want. (See Section 4, RECONFIGURATION AND CUSTOMIZATION, Section 5, OTHER THINGS YOU SHOULD KNOW and Section 7, STATIC AIRCRAFT and CUSTOM AI for a discussion of the optional components.)

To facilitate selection of the best option scenery configuration on "challenged" systems, it is recommended you check "Save all optional files" on the initial install. Only the checked features will be enabled, but you will be able to create different configurations by simply enabling/disabling scenery files. Otherwise, you'll need to re-install for each desired configuration. Once you've decided on a configuration, re-install with "Save all optional files" unchecked to eliminate all unused features and their related processing overhead.

- (g) Microsoft recommends use of mipmapped textures. All textures provided are mipmapped. However, in some situations, mipmapped textures are not ideal. For example, several mipmap levels may be used when large ground polys are rendered – with obvious boundaries. So, the installer offers four options for the removal of mipmaps:

None (all textures mipmapped)	+Static Aircraft (and key features)
Key features only (GPs, ramp illumination, etc.)	All

Note, however, it has been reported that use of both mipmapped and non-mipmapped textures in close proximity to another scenery that does not use “mixed” mipmaps sometimes results in the “blurries”. If you experience this, try re-installing with None or All, depending on the situation.

- (h) Unless you uncheck Update Scenery Library, all necessary Scenery Library items will be created for you. If you checked the Compatibility - Multiple radio button, CYBL will be configured for default operation - since the installer does not know your preference. If that's not your intent, you'll have to uncheck the corresponding Scenery Library entry and check the one of your choice. (Please refer to Section 4, RECONFIGURATION AND CUSTOMIZATION, for further details.) If you wish the Scenery Library entry name to be other than "CYBL (2011)", edit the Name textbox. If, for some reason you do not wish a backup file of the Scenery Library to be made, uncheck Backup Scenery Library.

When all selections have been made, click the "Install" button. The installer will ask you to confirm the installation folder and compatibility selections, following which it will install and configure CYBL accordingly. Should you change your mind about an option or wish to change any aspect of the installation, simply select the desired new parameter(s) and click the "Install" button again.

All textures provided in the downloaded archive are mipmapped. Certain features, most notably, ground polys and lines display much better without mipmaps and static aircraft liveries will remain sharp as you get further away. However, a mix of mipmapped and non-mipmapped textures can sometimes be problematic. At the completion of the installation, you will be asked if you want to remove mipmaps. If you respond "Yes", KillMipmaps (see below) will be initiated.

When finished, close the dialog. If you have checked the Delete Temporary files checkbox, all the temporary files except the installer will be permanently deleted.

If the installer encountered difficulties and was unable to fully restore a previous installation, a folder named *CYBLInstall_bak* will remain in the installation folder. In that folder is a copy of the installation folder as it was prior to the installer being run.

Manual Installation - Users who do not wish to use the automatic may manually install and configure standalone CYBL as follows:

- (a) For a new installation, create a top-folder called *CYBL (2011)* or another name of your choice in FlightSim's *Addon Scenery* folder or elsewhere. If upgrading from an earlier version of CYBL, delete everything from the old CYBL top-folder except any traffic files you wish to save. The traffic files should be moved elsewhere temporarily.
- (b) Create a subfolder named *CYBL* in the CYBL top folder. Copy into it the *\scenery* and *\texture* subfolders from the temporary *FS9* or *FSX* folder, as applicable. **Use the FSX folder for all versions of Prepar3d.** Each temporary folder contains a file named *ElevAdjust_CYBL_FSn.bgl*; copy it to *Scenery\World\Scenery*. Disable/delete one or the other of *ADE_CYBL_nnn (Custom Lights)_FSn.bgl* and *ADE_CYBL_nnn (Stock Lights)_FSn.bgl*.
- (c) Copy the *Compatibility Files* folder from the temporary *FS9* or *FSX* folder, as applicable, to the *CYBL (2104)* top-folder. If you plan to use CYBL with only one compatible add-on, also copy the files from the *\scenery* subfolder in the relevant *Compatibility Files* subfolder(s) into the *CYBL\scenery* folder. If you don't have any of the compatible add-ons, copy the files from the *Compatibility Files\Default\scenery*. (You may find Section 4, RECONFIGURATION AND CUSTOMIZATION helpful.)
- (d) You may find several folders named *Optional Scenery* containing various optional sceneries. The *.bgl* files - whether or not in a *\scenery* sub-folder go into your *CYBL\scenery* folder and any *.bmp* (FS9) or *.dds* (FSX) files go into the corresponding *CYBL\texture* folder. Generally, to install and enable an optional scenery item, copy all the files contained in its *Optional Scenery* folder. Some optional scenery installations are complex. While it will do no harm, these options cannot be effected simply by copying files (*FS9\Trees* is an example)
- (e) If you are installing for P3Dv2:
 - delete the following files from the indicated folders, and then
 - copy the contents of the PV2 folder to the indicated locations.
- (f) Copy the contents of the *Effects* folder, if it exists, to your FlightSim *Effects* folder as applicable.
- (g) For each category of static aircraft, copy from the applicable sub-folder in the temporary *Static Aircraft* folder:
 - the *.bgl* file whose name that starts with "obj_SAMM_" and from the *FS9* or *FSX* sub-folder, as applicable, *lib_SAMM_...bgl* into your *CYBL\scenery* folder, and
 - the contents of the *\texture* subfolder into your *CYBL\texture* folder.

- (h) If you want custom AI, for each desired category copy from the applicable sub-folder in the temporary *AI* folder :
- the applicable (FS9 or FSX) traffic into your *CYBL\scenery* folder, and
 - the contents of the *Aircraft* sub-folder into the FS9 *Aircraft* folder or, for other versions, into a valid SimObjects folder.

You should not enable both the AI and static aircraft in the same category.

- (i) If you saved any AI traffic files as noted above, they may now be copied back to the *CYBL\scenery* folder.
- (j) Copy additional files to the destination of your choice (see following sections).

File/Folder Configuration – Following proper automatic installation of CYBL, the structure of the “installation folder”, i.e., CYBL (2011) - or whatever you choose to call it will be as follows:

CYBL (2011) containing the following folders:

- *CYBL* – the main folder, containing:
 - *scenery* - containing the scenery .bgl, suffixed with ".xxx" if not activated, and
 - *texture* - primary texture folder containing subfolders for static aircraft and .bmp (FS9) or .dds (FSX/P3D) files
- *Compatibility Files* – containing the files that allow the features of CYBL to integrate seamlessly with other add-ons that control the "environment" collected into a series of sub-folders entitled *Enable for ...* ,
- *CheckForUpdate.exe* - To check for updates, simply run *CheckForUpdate.exe*,
- *config.dat* – essential configuration information
- *KillMipmaps.exe* – see below,
- *halo.bmp* and *fx_2.bmp* - files to adjust the size of airfield light "dots" (see Section 4),
- *EULA.txt* - the end user license agreement, and
- a .pdf version of this user manual.

You may move any of these file/folders except *CYBL*, *Compatibility Files* and *KillMipmaps* elsewhere. However, *CheckForUpdate.exe* and *config.dat* must remain together.

Scenery\World\scenery will contain a file named *ElevAdjust_CYBL_FS*n*.bgl*. Delete/disable any other elevation adjustment files for CYBL or ensure they are named such that they will be loaded before *ElevAdjust_CYBL_FS*n*.bgl*.

For use with ORBX PNW, the file *CVX_CYBL_LC_Default.BGL* in the *CYBL(2011)\CYBL\scenery* folder must be manually disabled or deleted.

KillMipmaps.exe – As mentioned above, you may wish to remove mipmaps from some textures. KillMipmaps serves this purpose without loss of quality. Execute Killmipmaps.exe, select the texture sets from which mipmaps are to be removed by checking the corresponding checkboxes. If you check Select, you will be presented with a checked listbox showing all textures. Check those from which mipmaps are to be removed. Then click Remove Mipmaps.

So mipmaps can easily be restored when necessary, before mipmaps are removed, the texture is saved to the folder Mipmap Backup, in a subfolder named as the subfolder the originally contained the texture. This folder serves no other purpose.

Uninstalling CYBL - The installer only installs the files as noted above. It does not write to the Windows Registry or anywhere else. To uninstall CYBL, delete:

- the CYBL folder from the Flight Simulator *Addon Scenery* folder (or wherever else you installed it),

- *ElevAdjust_CYBL_FSn.bgl* from *Scenery\World\scenery*, and
- the CYBL entry(ies) from the Scenery Library.

3. SCENERY LIBRARY

If you did not have the installer do it for you, add the folder *CYBL (2011)\CYBL* to the Scenery Library and, if you've selected the Scenery Library method for compatibility management (see next section), an additional entry for each *CYBL (2011)\Compatibility Files* sub- folder.

The CYBL Scenery Library entry(ies) **must** be placed above (be of higher priority than) those for Ultimate Terrain, ORBX FTX NW and any other scenery that includes terrain, roads and/or shorelines. If you have other add-ons that affect the CYBL area, their position in the Scenery Library relative to CYBL will depend on what they do. Please refer their documentation. In general, unless they are intended to affect the CYBL scenery, they should be of lower priority than, i.e., be below, CYBL (2011).

4. RECONFIGURATION AND CUSTOMIZATION

Management of add-on compatibility files - Compatibility files may be used in either of two ways:

- If you specified to the installer that you want CYBL to be compatible with a specific add-on (or with default FlightSim), the installer will have copied the compatibility files from the relevant *CYBL (2011)\Compatibility Files* folder into the *CYBL\scenery* and *\texture* folders. Should you wish to make CYBL (2011) compatible with a different add-on, remove any existing compatibility files as described below from *CYBL\scenery* (remove only those *\scenery* files as are contained in the Compatibility Files folder for the add-on being removed) and then copy the files from the relevant *CYBL (2011)\Compatibility Files\...\scenery* and *\texture* (the latter may not exist or it may be empty) into the *CYBL\scenery* and *\texture* folders respectively.
- However, if you specified Multiple Compatibility to the installer (which gives you the ability to quickly reconfigure compatibility for various add-ons (e.g., sometimes you'll have UTX Canada enabled and at other times you'll want to be compatible with Orbx's FTX PNW), the installer will not have copied any compatibility files into *CYBL\scenery* and *\texture*. To effect compatibility with any specified add-on, you need only enable its Scenery Library compatibility item - in addition to CYBL (2011), of course. Only one such Scenery Library item should be enabled at any time . These entries must remain at a lower priority in the Scenery Library than CYBL (2011).

Compatibility files are named:

for FS9: *0_CYBL_Roads_(...)_VTPX.BGL*
CYBL_Roads_(...)_VPTL.bgl
CYBL_Terrain_(...).bgl
LD_1414_(...).bgl

for FSX: *CVX_CYBL_Roads_(...).BGL*
CVX_CYBL_LC_(...).BGL
CVX_CYBL_Skirt_(...).BGL
LC_1414_(...).bgl

where (...) is the abbreviated name of the add-on(s) to which they apply.

Airfield Light Size - The Flightsim stock texture files that control the size of AFLT's lights and the stock lights results in lights that some, including me, think are too big and bright.

The installation archive includes replacement textures that will reduce the size of airfield lights generally. Please note, however, using these file will affect the lights at all airports, not just those where AFLT-generated lights are used. If you want to try them, copy the file:

- for FS9, *halo.bmp* into your *FS9\Texture* folder, or

- for FSX and P3Dv1, *fx_2.bmp* into your *FSX\Effects\Texture* folder, overwriting the stock files of the same name. Be sure to backup the stock files first in case you don't like what happens with these replacement files.

(I obtained *halo.bmp* from an attachment to a fsDeveloper.com post. Unfortunately, I have been unable to find that post again in order to give proper credit. So, thank you, whoever you are. The *fx-2.bmp* file in the archive is my own work product.)

Fences - The perimeter fences are of the "ground-hugging" variety, generated by FenceBuilder PRO (a payware application by the author and available from Silver Cloud Publishing, Flight 1 and other fine retailers.) Due to the limited amount of other scenery at CYBL, the addition of the outer perimeter fence is unlikely to cause low-FPS issues. However, should you want eliminate that fence, disable/delete the file *FBP_CYBL_Perimeter_Outer_FSn.bgl* in the *CYBL\scenery* folder. All fences may be removed by disabling/deleting all files whose name start with "FBP" in *CYBL\scenery*

Fuel Triggers - The whole of the terminal apron is a fuel-trigger area. MSFS does not permit user aircraft doors to remain open in fuel trigger areas. If you want your aircraft automatically refuelled, enable *obj_FuelTrigger.bgl*. If you want to leave the user a/c doors open while parked in these areas, disable *obj_FuelTrigger.bgl* (but keep an eye on your fuel gauge).

Other Customization - Some users may be tempted to modify the airport definition files (*ADE_CYBL_103_....bgl*). I strongly recommend against that since, regardless of your skill level, any changes you make will have to be re-done if they are to be used with any future versions of CYBL. Instead, unless you must change the runway/taxiway/apron configuration (I can't image why you'd need to other than to add GA parking on the grass), implement your changes as a separate add-on, placed above CYBL in the Scenery Library.

5. OTHER THINGS YOU SHOULD KNOW

Airfield Lighting in Low Visibility - CYBL (2011) gives you a choice of stock airfield lighting or custom lighting. (Custom lighting is not available with Prepar3Dv2.) FlightSim does not provide a mechanism for scenery models to test visibility, Consequently, the custom airfield lights do not automatically illuminate in daytime low visibility conditions - like the stock lights. If you use the custom lights and want airfield lights during the day, select code 0066 on your transponder.

No Clearances from Tower - While it looks like a tower, it's not. CYBL has a FSS (flight service station), not a tower. Therefore, you will not get a response when you contact the CYBL tower on 122.0 mhz. For departure clearances, you must contact Comox (CYQQ) tower on 123.7 mhz.

Collisions While Taxiing - As at the real CYBL, most aircraft parking is "drive-through", implemented using an invisible, overlay taxiway network for departures. Consequently, even though arriving and departing AI traffic in close proximity may appear to be on the same taxiway and you would expect one to give way, they are not on the same taxiway as far as FlightSim is concerned. Hence, they may appear to collide. This is the price for drive-through parking.

Departing AI - It is necessary with drive-through parking to have two hold-short nodes at the ends of each runway - one in the arrivals network, the other in the departures network. To ensure arriving aircraft remain on the arrivals network, it is necessary to place the hold-short node in the (invisible) departure network to the runway side of the one in the (visible) arrivals network. Consequently, departing AI may hold-short on, rather than before, the hold-short line.

6. STATIC AIRCRAFT AND CUSTOM AI

CYBL includes a selection of static aircraft and operating AI. These models are divided into several groups, namely:

- Cessnas (1-C152, 2 C172s and 1 C182)

- other GA (Hawker 800 and Cessna 340A)
- forest-fire fighting aircraft (Convair 580, Electra, Turbo Commander and Huey)
- amphibious floatplanes (DHC-2 Beaver and DHC-3 Turbo Otter)
- other helicopters (CH47 and Huey)

painted to represent real aircraft based at or often seen at CYBL.

There are static models of all these aircraft. They were created by SAMM. (SAMM is a freeware utility to convert flyable aircraft models into static scenery models. It was developed by this author and is available from popular download sites.) While these static models (and their AI counterparts) add a good deal of realism to the airport, some of this "eye candy" is derived from flying models. Hence, they may be "FPS-hogs". If you have an older system, you may have to be selective as to which static/AI aircraft you enable. (The installer offers a full range of options, or you may simply enable/disable appropriate .bgl files. The static aircraft models are contained in files in the *CYBL\scenery* with names beginning with "lib_SAMM_" and placed in the files whose name starts with "obj_SAMM_". The textures are contained in appropriately-named folders in the *CYBL\texture* folder.

AI versions of the Cessnas, other GA and tankers are also provided - with limitations. The base Cessna models are from Henry Tomkiewicz's Cessna Single-Props package. You must own that package (available from <http://htai-models.com> for less than \$10) to have them operate as AI. In the case of the forest-fire fighting aircraft, it seems no one has ever modeled the tanker version of any of the base aircraft. For the static models, I have added a separate belly-tank. But, I know of no way to attach those tanks to the flying version. So, the AI versions are just the base models of the aircraft without the tanks. Nonetheless, if you are an "AI-fan", you'll still appreciate the feature. As for the other GA, there is very limited turning room where these aircraft park and, in real life, they are turned by hand. So, on arrival, they simply park "straight-in". (Otherwise, AI aircraft parking is "drive-through".) The AI traffic files are also installed in the *CYBL\scenery* folder.)

Static aircraft can be considered as being of one of two types: those for which there is a corresponding category of AI (e.g., TankerBase) and those that do not (e.g., Helicopters). In the former category, so as to allow creation of similar scenarios with either static aircraft or AI, each AI aircraft is assigned a dedicated parking spot and the static aircraft are placed in these spots. So, obviously, if you enable both AI and static aircraft in the same category (the installer will not permit this), you will have two aircraft in the same spot. Static aircraft for which there is not corresponding AI should not be an issue because these are generally placed other than in aircraft parking spots.

However, despite this dedicated parking, it is still possible to have conflicts between one category of AI and another of static aircraft. If you have AI other than provided with CYBL (2011), this AI may park in spots already occupied by static aircraft. The only way to avoid this eventuality is to not use static aircraft when there is a corresponding category of AI.

For those who may wish to modify the AI traffic files, the traffic files may be decompiled and edited using AI Flight Planner (AIFP), yet another readily-available freeware application by the author.

As noted above, you must own the HTAI Cessna Single-Props package to have the HTAI Cessnas operate as AI. If you elect this option, you'll have to copy the relevant *Model* folders and *.air* files from your Cessna Single-Props package *\Aircraft* folder into the folders created by the installer (names starting with "CYBL_AI_Cessna").

The AI schedule is as follows:

<u>Type</u>	<u>Tail No.</u>	<u>Function</u>	<u>Schedule</u>
Cessna 150	C-GWVK	Flight training	1 hr TNGs noon Tuesday, Thursday and Saturday.
Cessna C172	C-GBAX	Flight training	1 hr TNGs 1400 Monday through Saturday.
Cessna 172	C-FXYJ	Flight training	"cross-country" (to CYPW) 1100 Sunday,

<u>Type</u>	<u>Tail No.</u>	<u>Function</u>	<u>Schedule</u>
			Tuesday, Thursday and Saturday and 1330 on Monday, Wednesday and Friday; returns 1:35 later.
Cessna 182	C-FJHW	Sky-diving	Departs 1000 and 1400 daily and also at noon on Saturday and Sunday (single TNG at CYPW); returns 1:10 later.
Hawker 800	C-GJJK	Corporate aircraft	Departs (to CYYJ) 0930 Monday through Friday, returns 1415.
Cessna 340	C-FUOW	Private aircraft	Departs (to CZBB) 1100 Monday through Friday, returns 1400.
Convair CV-580	C-FFKF	Forest fire tanker	Arrives (from CYXX) 1045; departs 1130; arrives again at 1430, departs 1515.
Lockheed Electra	C-GZVM	Forest fire tanker	Arrives (from CYKA) at 1030; departs at 1115; arrives again at 1445, departs at 1530.
Rockwell TC 680FL	C-GDCL	Forest fire spotter	Arrives (from CYXX) 1030; departs 1115; arrives again at 1415, departs 1500.
Bell 205 Huey	C-GWWL	Forest fire utility	Appears and disappears (to CAT4) twice a day.

Tanker AI do not use Twy "C". Instead, when necessary, they taxi along the runway. However, due to limitations in the FlightSim AI engine, the tankers arriving on Rwy 30 will exit on Twy B arrival and then go back onto the runway. They will taxi the length of the runway for takeoff on Rwy 12.

AI for the scheduled operators may be added using the BC Regional AI package (freeware by the author) available from Avsim, Flightsim, etc.

Static (scenery) versions of all the above aircraft are provided as well as:

<u>Type</u>	<u>Tail No.</u>	<u>Operator</u>
Fleet Canuck 80	CF-DDR	Private
DHC-2 Beaver	C-GACK	Corilair
DHC-3 Turbo Otter	C-FRNO	Harbour Air
Bell 205 Huey	-	Vancouver Island Helicopters
Boeing CH-47 Chinook	C-FHFB	Helifor

The Canuck 80 is derived from a FS2000 aircraft and is not capable of performing as AI. It is not available with Prepar3Dv2.

7. SUPPORT

CYBL (2011) is freeware. Hence, support will be limited. Nonetheless, I would like to be made aware of any problems you discover and will make reasonable effort to respond. As well, I welcome your comments suggestions for improvements and, where warranted, your criticisms.

The website <http://stuff4fs.com> is the primary mechanism for delivering support for CYBL. Navigate to Airports/CYBL. Among other things, the site documents known problems with the most current release and, where available, provides workarounds and links to patches. Please check the site before reporting any problems or suggesting new features.

You can check for updates using *CheckForUpdate.exe* (included in the CYBL (2011) archive). Updates are also available from the website.

8. ACKNOWLEDGEMENTS

Thanks (in no particular order) to Luis Sa for SBuilder and SBuilderX, Jon Masterson for ADE, Martin Wright for DTXBmp, Arno Gerretsen for the animated windsocks and ModelConverterX, Richard Ludowise for TCalc and Google for Google earth and Google Maps - all of which were used in the development of CYBL.

As well, I wish to thank and give credit to the authors of the aircraft models and miscellaneous objects used in CYBL (2011), in particular:

- Lars Hoyer - vehicles in Extra Objects Library Version 1.0,
- Jay Langham and Abacus - barrels and boxes (from EZ-scenery library AB_Misc),
- Gary Mills and Rob Finnegan for the box-truck (from FinneyGround_VERT_Logistics),
- Gian P - Agen_XTrees_lib9_2,
- Henry Tomkiewicz - SP BAe HS-125_800 model (Seymour Pacific corporate aircraft), C150, C172 and C182 and paintkits,
- Dee Waldron - Convair CV-580 (Conair tanker), Electra L188 (Airspray tanker) and paintkits,
- JR Lucariny - Electra .air and aircraft.cfg files (the ones included with Dee's model wouldn't work with FSX),
- Mike Cronin - Aero Grand Commander 680FL (Conair "bird dog" aircraft) and paintkit,
- Jordan Moore - Bell 205 Huey (VIH Huey and blue helicopter tanker C_GWWL) and paintkit,
- Bill Lyons - Canuck 80 south of main terminal,
- Brian and Tim Noval - Cessna 340A on south field,
- Steven Grant - DHC-2 Beaver (Corilair Beaver at Sealand hangar),
- Barry Blaisdell - DHC-3 Turbo Otter (Harbour Air Otter at Sealand hangar),
- Tom Woods and Mark Adams - CH-47 (Helifor Chinook) and paintkit,

all of whom have given their permission, either expressly or by their freeware license, and to whoever developed the FS9 Telus phone booth which I've also adapted for use with FSX.

Finally, thanks to the airport administrative staff of the City of Campbell River for allowing me unrestricted access airside at CYBL and for providing airport drawings.

Enjoy,
Don Grovestine

E-mail: don@stuff4fs.com
Website: <http://stuff4fs.com>

Other British Columbia, Canada Airports by Don Grovestine

CYYJ (2011) - Victoria International
CYQQ (2010) - Canadian Forces Base Comox
CZBB (2011) - Boundary Bay
CYCD (2012) - Nanaimo
CYXX (2012) - Abbotsford

End User License Agreement (EULA)

You are granted a free, non-exclusive right solely to install and use CYBL (2011) on your computer system(s).

8 November 201710

You may not:

- upload CYBL (2011), whether or not modified, in whole or in part, to any file distribution system,
- reverse engineer, disassemble or decompile any part of CYBL (2011) for any purpose other than to implement improvements for your own personal use, or
- incorporate CYBL (2011) in whole or in part into any commercial product or facility, "shareware" or "freeware", or any other product or facility for which there is a charge of any kind,

without the express written permission of the author.

Your use of CYBL (2011) is entirely at your own risk. The author accepts no liability whatsoever for any damage arising from its use no matter how caused.

By downloading and installing this software, you are deemed to have agreed to the foregoing.

CYBL (2011) © 2011-2014 - Don Grovestine